Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



★ FEB 9 1945

U S Department f Agriculture

COMPLETE LINE OF FLOWER, GARDEN AND FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET AND ANIMAL FOODS AND REMEDIES

CUNLANS SEED CATALOG

1945

Plant a Garden for Victory, Health and Economy

QUINLAN'S SEED STORE

317 Wabash Avenue

TERRE HAUTE, INDIANA

TELEPHONE C-2075

PARCEL POST RATES

On Seeds, Plants, Bulbs, Roots, Books, Tools, etc., within the U. S. and Possessions.

		D-15 / 22/42 2
	First Pound or Fraction	Each Additional Pound or Fraction
Local	7c.	1c (2 lbs.)
First and Second Zone within 150 miles of either	8c.	1.1c
Third Zone within 150 to 300 miles	9c.	2c
Fourth Zone within 300 to 600 miles		3.5c
Fifth Zone within 600 to 1000 miles		5.3c
Sixth Zone within 1000 to 1400 miles		7c
Seventh Zone within 1400 to 1800 miles		9c
Eighth Zone all over 1800 miles	15c.	11c
Canada	14c.	14c

NOTE—A fraction of a cent in the total amount of postage on any parcel shall be counted as a full cent. Limit of weight for delivery to all zones 70 pounds; to Canada 15 lbs. If weight exceeds this, we will pack in 2 or 3 parcels (not more) provided money is remitted to cover postage. (Mark your Zone Number on order.)

All parcels under 8 ounces are carried everywhere regardless of zone rates at one and one-half cents for 2 ounces.

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order, or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods. We accept postage stamps the same as cash.

WARRANTY AND QUALITY OF SEEDS

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

SPRING CATALOG

1945

A COMPLETE LINE OF FLOWER, GARDEN AND FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET AND ANIMAL FOODS AND REMEDIES

QUINLAN SEED STORE

317 Wabash Ave.

Terre Haute, Indiana

Telephone C-2075

SPECIAL USES OF FLOWERS

For Cut Flowers

	For Cut	Flowers	
Antirrhinum Aster Calendula Calliopsis Candytuft Carnation Centaurea Chrysanthemum	Coreopsis Dianthus Didiscus Gaillardia Gomphrena Gypsophila Helichrysum	Larkspur Marigold Mignonette Nasturtium Pentstemon Petunia Phlox	Pyrethrum Roseum Salpiglossis Scabiosa Stocks Sweet Peas Verbena Zinnia
	Annuals that do well	in a slightly moist soi	
Calendul a Larkspur	Linum Marigold	Marvel of Peru Mignonette	Ricinus
	Annuals which	withstand drought	
Ageratum Alyssum Calliopsis Candytuft Centaurea Coreopsis	Cosmos Cynoglossum Dianthus Euphorbia Gaillardia	Hollyhock Marigold Marvel of Peru Petunia Portulaca	Scabiosa Statice Verbena Vinca Zinnia
	Plants for Hang	ging Baskets, etc.	
Ageratum Coleus Geranium	Lantana Lobelia Nasturtium	Petunia Portulaca	Thunbergia Verbena
	Flowers for Winter Bo	ouquets (Dried Flower	s)
Ceolsia Cristata Gomphrena	Gypsophila Helichrysum	Lunaria Physalis	Statice
		ging Plants	
Ageratum Alyssum Bellis	Lobelia Marigold (French) Myosotis	Nasturtium (Dwarf) Pansy Portulaca	Verbena Compacta Viola
	Rapid Growin	g Annual Vines	
Balsam Apple and P Cardinal Climber Cobea	earCypress Vine Gourds Ipomea	Morning Glory Nasturtium (Tall) Scarlet Runner	Sweet Peas Wild Cucumber
	Annuals fo	or Fragrance	
Alyssum Candytuft Carnation Centaurea	Heliotrope Mignonette Nasturtium (Gleam) Nicotiana	Petunia Scabiosa Stocks	Sweet Peas Sweet William Wallflower
	Annuals f	or Poor Soil	
Alyssum Antirrhinum Celosia	Cosmos Euphorbia Kochia	Nasturtium Portulaca	Statice Verbena
	For Se	mi Shade	
Aquilegia Bellis perennis Campa nula	Centaurea Coleus Lupin	Myosotis Pansy	Sweet William
	For Rock Ga	rdens, Annuals	
Alyssum Nasturtium Dwarf	Lobelia	Portulaca nondi Thunbergia	Verbena
		dens, Perennials	
Alyssum saxatile Aquilegia	Bellis perennis Dianthus	Linum Matricaria	Myosotis Viola

Dozza

1/ D11

ASPARAGUS.

An ounce of seed will sow 50 feet of drill, and produce about 300 plants. Fair crops may be expected the third year from seed.

	Oz.	1/4 lb.	Lb.
Washington, Martha	.15	.35	1.25
The original rust resistant variety; heavy yielding, large dark green stalks; of fine quality.			
Washington, Mary	.15	.35	1.25
The highest type of the rust-resistant asparagus. It is earlier, larger			
and longer than the original Washington and quite as resistant. Tips are very tight and do not "sprangle out" or "blow" prematurely.			

BEANS.—Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates Front Page.

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 3 inches apart in drills that are to 2 to $2\frac{1}{2}$ feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 100 feet of drill.

GREEN PODDED SORTS

	Lb.	¼ Bu.	Bu.	Days
Black Valentine (Improved Stringless), Oval Dark Green Pod	.40	\$4.00	\$15.00	49
Bountiful Bean, Early Stringless, Flat Light Green Pod	.40	4.00	15.00	49
Full Measure, Very Early Round Stringless	.40	4.00	15.00	53
Giant Stringless Green Pod, Round Medium Green Pod	.40	4.00	15.00	53
Hopkin's Imp. Round Pod, Ex. Early Valentine, Red	.40	4.00	15.00	52
Horticultural Dwarf, Shell Bean	.40	4.00	15.00	54
Large Red Kidney, Shell Bean	.30	3.50	12.00	95
Plentiful	.40	4.00	15.00	51
Improved Bountiful type, stringless, long straight medium deep green pods. Shows a definite resistance to rust disease. Very productive.			•	
Refugee (1000 to 1), Round Stringless Green Pod	.40	4.00	15.00	70
Streamliner, Oval Dark Green Pod	.40	4.00	15.00	55
Stringless Green Pod, Round Dark Green Pod	.40	4.00	15.00	50
Tendergreen (New Stringless), Round Dark Green Pod	.40	4.00	15.00	51
Tennessee Green Pod, Flat Medium Green Pod	.40	4.00	15.00	50
White Kidney, Shell Bean	.30	3.50	12.00	95
White Marrow, Shell Bean	.30	3.50	12.0 0	100
White Navy, Shell Bean	.25	3.00	10.00	90
WAX PODDED BEANS.	y			٠

	Lb.	¼ Bu.	Days
German Black Wax, Yellow Pod Improved Golden Wax, Yellow Pod	.40 .40	$\frac{4.00}{4.00}$	

POLE BEANS.

Less hardy than the Bush Beans, and should be planted several weeks later, when the ground is warmer. Plant the seeds in slightly raised hills 3 or 4 feet apart, 4 or 5 seeds to the hill. The Limas are especially tender, and the rule for late outside planting with them is rigid. Painstaking cultivators, who are usually the most successful, plant them eye downward, after setting stout poles for every hill. All sorts of late-ripening Pole Beans are benefitted by pinching the tips of the vines back when they are about 5 feet high. A pound will plant about 100 hills.

	Lb.	¼ Bu.	Days
Early Golden Cluster Wax, Yellow Pod	.40	4.00	74

POLE BEANS—Continued

POLE BEANS—Continued				
		Lb.	¼ Bu.	Days
Horticultural or Cranberry, Shell Bean		.40	4.00	70
Kentucky Wonder, or Old Homestead		.40	4.00	65
Kentucky Wonder Wax, Yellow Pod		.40	4.00	68
Lazy Wife, Thick Green Pod		.40	4.00	74
Missouri Wonder, Round Medium Green Pod	1 .	.40	4.00	66
Speckled Cut Short Corn Bean		.40	4.00	72
White Kentucky Wonder, Green Pod		.40	4.00	64
The second secon				
POLE LIMA BEANS.				
		Lb.	¼ Bu.	Days
Extra Large Lima, Large Flat Bean		.40	4.00	88
King of the Garden, Large Flat Bean		.40	4.00	88
BUSH OR DWARF LIMA BEAN	IS.			
	Lb.	¼ Bu.	Bu.	Days
Baby Potato, Small Thick Bean	.40	4.00	15.00	72
Burpee's Imp. Bush Lima, Large Plump Bean	.40	4.00	15.00	75
Fordhook, Thick Oval Bean	.40	4.00	15.00	75
Henderson's Bush Lima, Small Oval Bean	.40	4.00	15.00	65
Speckled, Small Flat Bean	.40	4.00	15.00	73
BEETS.				
The soil best suited to the Beet is a deep, light and rich loam. For sown in hotbeds, and the seedlings are transplanted to the open ground. sown outside as soon as the soil is in good condition, in drills from 12 to about an inch deep; the plants are thinned to stand 4 or 5 inches apart sow seeds in June, in drills, as for early Beets. An ounce of seed will sow pounds will sow an acre.	For 15 incident	main crop thes apart rows. For	o, the set, and ce winter	eed is overed crops,
	Oz.	¼ lb.	Lb.	Days
Asgrow Wonder, (New Dark Red) round deep red root	.35	1.00	2.50	57
Early Blood Turnip, bright red turnip root	.35	1.00	2.50	68
Early Wonder, semi-globular dark purplish red root	.35	1.00	2.50	58
Detroit Dark Red Turnip Beet	.35	1.00	2.50	68
Mammoth Long Red, Stock	.35	1.00	2.50	110
New Crosby's Egyptian, dark red flat globe root	.35	1.00	2.50	,60
True Sugar, long white root	.35	1.00	2.50	102
Yellow Globe, Stock	.35	1.00	2.50	102
BROCCOLI.	7			
			Oz.	4 Oz.
Italian Green Sprouting		**********	.50	1.50
A distinct variety, extensively cultivated by Italian gardeners. Plan large, solid head which remains green. When the central head is cut	at form	S a		
sprouts develop from the leaf axes, each sprout terminating in s heads, which are bunched for market.	, nume	rous		

BRUSSELS SPROUTS.

	Oz.	4 Oz.
Dwarf Improved	.50	1.50

CABBAGE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10. Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than $1\frac{1}{2}x^2$ feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seedbeds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

7	Oz.	Days
All Head Early, early flat head	.50	78
All Seasons, medium early round head. Yellow-resistant.	.50	87
Charleston Wakefield, early peaked head	.50	74
Copenhagen Market, early round head. Yellow-resistant	.50	69
Danish Ballhead, late round head	.50	103
Early Dwarf Flat Dutch	.50	90
Early Jersey Wakefield, early peaked head		63
Glory of Enkhulzen, early round head		77
Golden Acre, extra early round head	.50	64
Improved American Savoy, early peaked head. Curly leaf	.50	76
Jersey Queen, early peaked head. Yellow-resistant	.50	66
Mammoth Rock Red, round head	.50	100
Marion Market, medium early round head. Yellow-resistant	.50	7 9
Selected Flat Dutch, late	.50	100
Surehead, late flat head	.50	77
Wisconsin Hollander, early round head. Yellow-resistant	.50	105

CARROT.

Carrots succeed best on heavy loam, which preferably should have been well fertilized the previous year, as fresh manure often causes the roots to grow pronged and misshapen. Sow the seed as early in the spring as the ground can be prepared, firming the soil down over them.

One ounce of seed will sow 200 feet of drill: 2 pounds will sow an acre.

	Oz.	½ Ib.	Lb.	Days
Chantenay Half Long (The Model) Excellent medium early half-long stump rooted variety; roots about 6 inches long, very thick, smooth and of a deep orange-red color.	.35	1.25	3.50	72
Danver's Half Long	.35	1.25	3.50	72
Long Orange	.35	1.25	3.50	88
Nantes Improved Coreless Reddish orange, blunt end root.	.35	1.25	3.50	70
Oxhart	.35	1.25	3.50	72

CAULIFLOWER.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One or to 1500 plants: 2 or to the acre.

One oz. to 1500 p.			1/4 Oz.	½ Oz.
Early Snowball, I	warf	.10	.75	1.50

CELERIAC.

Sow in ear	rly spring; transpla	nt the seedling	s in May.	They w	vill be	ready fo	r cooking	in October
and may be pr	eserved in dry sand	for use during	winter.					0-
								Uz.

				OZ.
Turnin Rooted Cele	rv, used for cele	ry flavor ir	soups	.50

CELERY.

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground. For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seedbed must be kept free from weeds and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them. One oz. to 10,000 plants.

	Oz.
Celery Cabbage or Chinese Lettuce.	
Wong Bok, short variety	.50
Chihili, tall variety	.50
Giant Pascal, green garden variety	.50
Golden Self Blanching, gold garden variety	.50
White Plume, white garden variety	.50
COLLARDS.	
	Oz.
True Georgia	.25

SWEET CORN.

Used as Greens. A non-heading type of cabbage.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows. One-quarter pound to 100 feet; 1 gallon to the acre.

	Lb.	⅓ Bu.	$\mathbf{B}\mathbf{u}$.	Days
Adam's Early, ears 12-14 rowed, white	.30	2.50	8.00	72
Adam's Extra Early, ears 12 rowed, white	.30	2.50	8.00	66
Adam's Imp., ears 12-14 rowed, white	.30	2.50	8.00	74
Black Mexican, ears 8 rowed, white, black at maturity	.40	4.00	12.00	88
Country Gentleman, rows irregular, white	.40	4.00	12.00	95
Early Evergreen, ears 16-18 rowed, white	.40	4.00	12.00	90
Early Mammoth, ears 12-16 rowed, white	.40	4.00	12.00	74
Golden Bantam, ears 8 rowed, yellow	.40	4.00	12.00	85
Golden Country Gentleman, rows irregular, yellow	.40	4.00	12.00	95
Golden Cross Bantam, ears 10-14 rowed, yellow	.60			85
Golden Evergreen, ears 10-16 rowed, yellow	.40	4.00	12.00	95
Golden Sunshine, ears 10-12 rowed, yellow	.40	4.00	12.00	72
Howling Mob, ears 12-16 rowed, white	.40	4.00	12.00	83
Kendall's E. Giant, ears 12-14 rowed, white	.40	4.00	12.00	85
Late Mammoth, ears 10-18 rowed, white	.40	4.00	12.00	98
Shoe Peg, rows irregular, white	.40	4.00	12.00	95
Stowell's Evergreen, ears 16-20 rowed, white	.40	4.00	12.00	95
Stowell's Evergreen Hybrid, ears 16-18 rowed, white	.60			93
Whipples Early Yellow, ears 12-14 rowed	.40	4.00	12.00	87
Whipple's Early White, ears 14-18 rowed	.40	4.00	12.00	85

CORN SALAD.

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

	Oz.	¼ Lb.
Large Leaf	.50	1.50
Fine for salad.	.00	1.00

CRESS.

	Oz.
Curled or Pepper Grass	.35
Used for salad; very pungent.	
True Water Cress	.50
Delicious flavor; very wholesome.	

CUCUMBERS.

The seed can not be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill. One oz. to 50 hills; 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
Chicago Pickling, medium green, warted, small	.25	.75	2.50	59
Early Cluster, medium green, small	.25	.75	2.50	55
Improved Long Green, deep green, warted	.25	.75	2.50	67
Lemon, round, lemon color	.25	.75	2.50	65
Longfellow, dark green, long	.25	.75	2.50	70
Straight Eight, medium green, long	.25	.75	2.50	- 66
The Davis Perfect, dark green, long	.25	.75	2.50	65
West India Gherkin, Pickling, oval, pale green, prickled	.25	.75	2.50	60
White Spine, medium green, white ribbed, large	.25	.75	2.50	65
White Wonder, white, large, clustered	.25	.75	2.50	60

EGG PLANT.

Sow the seed in hotbeds early in March, transplant to small pots and plunge them in the same beds; this is to make them strong and stocky. They should not be planted out until May or June, when the weather becomes warm and settled, as cool nights and wet weather will check their growth. Set the plants in rows 3 feet apart each way and give them thorough cultivation, drawing the earth up to the stems when they are about a foot high. Repeated sowings are sometimes necessary, as the seed does not germinate freely without strong and uniform heat. One oz. to 2,000 plants.

	Oz.	Days
Black Beauty	.50	80
New York Improved Spineless	.50	83

ENDIVE.

This is an important fall and winter salad. For early, the seed should be shown in April, in drills 15 inches apart, and the seedlings thinned to stand 12 inches apart in the rows. Sowings for the main crop may be made in June and July, as the vegetable is used principally in fall and winter. The inner leaves are blanched by tying the tips of the outer ones together, or by laying boards over the plants.

One-fourth oz. to 100 feet of drill.

Oz.	¼ lb.	Days
.25	.75	92
.25	.75	95
.25	.75	100
	.25	Oz. 14 lb25 .75 .25 .75 .25 .75

KALE.

One oz. to 2,000 plants; 1 pound to the acre.	Oz.	½ lb.	Th	Dorra
·	Uz.	74. 10.	Lu.	Days
Dwarf German Green, deep green, broad leaves	.25	.60	1.75	55
Improved Siberian, deep green, large frilled leaves	.25	.60	1.75	65
Tall Curled Scotch, light green, deep leaves	.25	.60	1.75	60

KOHL RABI.

Very palatable when prepared for the table like turnips. If the weather is favorable the seed should be sown in April, in rows 18 inches apart, and the seedlings thinned to stand a foot apart. One-half oz. to 100 feet of drill.

02. 00 200 02 02 02	Oz.	Days
Early Purple Vienna		62
Early White Vienna		5 5

LEEK.

Used for seasoning soups and boiling with meats. The seed should be sown in hotbeds in early spring, and the seedlings transplanted later to the open ground, 8 inches apart, in rows from 12 to 15 inches apart. One-half oz. to 100 feet of drill.

LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seedlings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil. One-fourth oz. to 100 feet of drill: 2 pounds to the acre.

·	Oz.	¼ lb.	$\mathbf{L}\mathbf{b}.$	Days
Big Boston, medium head, green tinted with red	.25	.75	3.00	75
Black Seeded Simpson, large frilled leaf, yellow-green	.25	.75	2.00	46
Early Curled Simpson, large leaf, yellowish-green	.25	.75	2.00	45
Grand Rapids, large curley leaf, light green	.25	.75	2.00	43
Hanson, large head, yellowish-green	.25	.75	3.00	80
Stands drought and hot sun well. Iceberg, large head, light green	.25	.75	3.00	84
The hardest heading variety of all. Paris White Cos, Trianon or Romain, dark green for poultry	.25	.75	2.00	66
Prize Head, light green leaf, red edge	.25	.75	2.00	47
Leaves frilled and blistered; very crisp. N. Y. or Wonderful A large late sort, cabbage heading variety, with large crumpled, dark green leaves. Similar to N. Y. cabbage.	.25	.75	3.00	80
uair giedh leaves. Dhillai to Iv. I. Cabbage.				

MUSHROOM SPAWN.

MUSKMELON.

Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill. One oz. to 50 hills: 1 to 2 pounds per acre.

	Oz.	⅓ lb.	Lb.	Days
Banana, salmon flesh, banana shape	.15	.50	1.25	98
Burrell's Gem, pink-salmon flesh	.15	.50	1.25	90
Hale's Best No. 45, deep salmon flesh	.15	.50	1.25	82
Honey Dew, emerald green flesh	.15	.50	1.25	112
Honey Rock, orange-salmon flesh	.15	.50	1.25	81
Hoodo or Hearts of Gold, yellow flesh	.15	.50	1.25	90
Osage, orange-salmon flesh	.15	.50	1.25	95
Pollock, pink flesh	.15	.50	1.25	94
Rocky Ford, Colorado grown Netted Gem, green flesh	.15	.50	1.25	92
Sugar Rock, orange-salmon flesh	.15	.50	1.25	90
Tip Top, yellow flesh	.15	.50	1.25	90

MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when cooked like spinach. The seed should be sown in shallow drills as early as the ground can be prepared in spring. One oz. to 50 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Fordhook, bright green fringed leaf	.10	.35	1.25	60
Mustard Spinach	.10	.35	1.25	45
A Japanese plant of the Mustard family which has become popular with the gardeners for its extremely quick habit of growth, producing a marketable crop of excellent mild mustard greens in about				
four weeks from seed.				
Ostrich Plume, light green fringed leaf	.10	.35	1.25	60
Southern Giant Curled, light green heavy leaf	.10	.35	1.25	40
White, for seasoning	.10	.35	1.25	

OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep. Two oz. to 100 feet of drill

	Oz.	¼ lb.	Days
Dwarf Green, deep green pods	.10	.25	50
Perkin's Mammoth Green, deep green pods, tall	.10	.25	56
White Velvet, white pods, early	.10	.25	60

ONION.

Onions thrive best on a rich, deep, loamy soil. For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds.

One-half oz. to 100 feet of drill.

One-half oz. to 100 feet of drill.	•			
	Oz.	¼ lb.	Lb.	Days
Extra Large Red Wethersfield, medium large, flat	.50	1.75	6.00	100
Mammoth Prizetaker, Yellow, large globe	.50	1.75	6.00	105
Southport Large White Globe	.50	1.75	6.00	110
Southport Large Red Globe	.50	1.75	6.00	110
Sweet Spanish, White, large round	.50	1.75	6.00	110
White Silverskin or Portugal, medium, thick-flat	.50	1.75	6.00	100
Yellow Bermuda, medium, flat	.50	1.75	6.00	93
Yellow Globe Danvers	.50	1.75	6.00	100

PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed in slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

	Oz.	Days
Green Curled	.25	85
Moss Curled. Finely cut and curled for garnishing		70
Plain, for flavoring	.25	72

PARSNIP.

Sow the seed in drills 15 inches apart as early as possible in spring, and thin the plants until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or litter. Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth and large if no fresh manure is used. as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Large Hollow Crown Sugar	 .25	.75	2.50	95

PEAS.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties. If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods. Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the acre.

to the acre.	Lb.	¼ Bu.	Bu.	Days
Alaska	.40	4.00	15.00	57
The very earliest and best blue pea. Height, 2 It.				
Amorican Wonder	.40	4.00	15.00	61
Well known and very popular. Height, I it.				
Black Eyed	.15			

PEAS.—Continued

1 121th.—Continued				
Champion of England, Pole Well known standard variety. Height, 5 ft.	Lb.	½ Bu. 4.00	Bu. 15.00	Days 80
Chicago Market Wrinkled variety; height 2½ ft.; about one week later than Gradus.	.40	4.00	15.00	62
First and Best	.40	4.00	15.00	58
Gradus, or Prosperity One of the earliest of wrinkled varieties: large pods. Height, 2½ ft.	.40	4.00	15.00	65
Laxtonian Large, full pods; fine quality. Height, 1½ ft.	.40	4.00	15.00	63
Laxton Progress Few days earlier than Laxtonian. Vines 18 inches tall, pods	.40	4.00	15.00	62
4 inches long. A valuable new variety. Little Marvel Vine strong and vigorous, about 18 inches tall. Showy pods about 3 to 3½ inches long, blunt ended. Seed large, green, wrinkled. A very fine productive, dwarf, sturdy variety.	.40	4.00	15.00	64
Luscious Sugar, Edible pods. Height, 4 ft.	.40	4.00	15.00	74
McLean's Little Gem Very prolific; a garden favorite. Height, 1 ft.	.40	4.00	15.0 0	64
Nott's Excelsior An improvement on American Wonder. Height, 1 ft.	.40.	4.00	15.00	62
Telephone, Pole Enormous pods; fine quality. Height, 4½ ft.	.40	4.00	15.00	80
Thomas Laxton Similar to Gradus only a few days later.	.40	4.00	15.00	62
World's Record An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2½ feet. Vines moderately stout, medium green, pods medium green, 4 in. long, very broad, pointed and well filled with 7 to 8 very large, dark green peas of exceptional quality.	.40	4.00	15.00	57

PEANUT.

Make ro may be plant					apart,	and	drop	\mathbf{seed}	eight	inches	apart.	Matures	very	early,	and
may be plant	eu arter	vati	, III 9 (ALY .											Lb.
Virginia															.50

PEPPER.

Sow in hotbed as early as April, and transplant to rich, warm, mellow so has become warm and settled, setting them about 2 feet apart in drills 3 feet plants.	oil, as soon as et apart. One	the we	eather 1,500
plantos.	Oz.	1/4 lb.	Days
Bull Nose or Bell, 4 lobed mild	.50	1.50	64
California Wonder, Crimson Fruit, 4 lobed, mild and sweet	.50	1.50	75
Cayenne	.50	1.50	70
Fruit long, hot and pungent.			
Long Hungarian (Yellow or Banana), early, hot	.50	1.50	65
Pimento, heart shaped, mild and sweet	.50	1.50	73
Red Chili	.50	1.50	82
Small and prolific. Used for pepper sauce. Hot.			
Ruby Giant, and Chinese Giant, 4 lobed, mild and sweet Largest of all. Red.	.50	1.50	75
Ruby King, 3 lobed	.50	1.50	68
Fruit very large; bright red color. Very mild.	.00		00
Sunnybrook	.50	1.50	73
A tomato-shaped sweet, red pepper of much merit. Fruit smooth, upright, 3 in. in diameter by 2½ in. in depth with thick flesh; moderately early.			
Sweet Golden Queen, 3 lobed, mild and sweet	.50	1.50	78
Sweet Mountain	.50	1.50	73
Large; square shaped and mild.	,,,,	2,00	• •

.50

1.50

75

Worldbeater, 4 lobed, mild and sweet

POP CORN.

	Lb.	Days
Golden Queen, large eared, 12-16 rowed	.25	90
Japanese Hulless, short eared, 18 rowed, white	.25	85
South American, large eared, 12-14 rowed, yellow	.25	90
White Rice, medium eared, 10-16 rowed	.25	90

PUMPKIN.

Grown principally for stock-feeding, yet some are so sweet, juicy and fine-grained that they will always be considered indispensable for pies and sauces. The vines require the same culture as that recommended for melons, but the seeds must be planted in hills much wider apart; frequently they are planted among corn. A pound of seed will plant from 200 to 300 hills. One to two pounds to the acre.

	Oz.	1/4 lb.	Lb.	Days
Cushaw, Golden	.10	.25	.75	112
Similar to White Cushaw, except in color of shell, which is golden yellow.				
Cushaw, Striped	.10	.25	.75	112
Of the crookneck type with mottled green and white stripes; flesh yellow, very solid and fine grained.				
Cushaw, White	.10	.25	.75	110
Long, white, crookneck; fine for table or stock.				
Japanese Pie, crookneck, flesh deep yellow	.10	.25	.75	110
Small Sugar, round fruit, bright orange color	.10	.25	.75	108
Sweet Cheese or Kentucky Field, round fruit, deep yellow color	.10	.25	.50	120

RADISH.

Sow in sheltered spot, the earth being deeply dug, highly fertilized, and raked free from clods and stones. Radishes grown on poor, thin soil cannot be made good; they will be misshapen and tough. To be good they must be grown quickly. Radishes can be forced by covering with a window or a sash. One oz. to 100 feet of drill; 10 to 15 pounds per acre.

One oz. to 100 teet of drift; to to 15 bounds per acre.				
	Oz.	¼ lb.	Lb.	Days
Celestial, or White Chinese	.10	.30	.75	60
Best for fall; very large white radish. Round root.				
China Rose Winter, long root, white flesh	.10	.30	.75	52
Cincinnati Market, long root, red skin, white flesh	.10	.25	.75	28
Crimson Giant	.10	.25	.75	28
Extremely large but never pithy; suitable for forcing or open cultivation; tender and crisp. Round root.				
Early Scarlet Turnip Forcing White Tip	.10	.25	.75	26
French Breakfast, oblong root, scarlet with white tip	.10	.25	.75	25
Icicle	.10	.25	.75	27
Long, smooth, white forcing radish.				
Long Black Spanish Winter, white flesh	.10	.30	.75	58
Round Black Spanish Winter, white flesh	.10	.30	.75	56
Scarlet Globe	.10	.25	.75	24
Fine for forcing and open ground; very early. Round root.		•		
White Strasburg, long white root	.10	.25	.75	39

RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

SALSIFY, OR OYSTER PLANT.

When cooked, the roots have something of the flavor and odor of oysters. They may be boiled, used in soups, or grated and fried as fritters. Culture the same as for parsnips and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar. One oz. to 100 feet of drill.

Oz. 1/4 lb.

SPINACH.

One of the most important crops grown for greens, and may be had in good condition from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter.

One-half oz. to 100 feet of drill: 6 to 8 pounds to the acre.

	Oz.	½ lb.	Lb.	Days
Bloomsdale Savoy, large crumpled dark green leaves	.10	.35	1.00	42
Long Standing, large crumpled dark green leaves	.10	.35	1.00	42
New Zealand, small thick dark green leaves	.25	.75	2.00	70

SQUASH.

Seeds should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants.

One-half pound to 200 or 300 hills: 2 to 3 pounds per acre.

	Uz.	⅓ <u>.</u> 10.	Days
Acorn, vine, Fall type	.15	.35	100
Banana Squash, vine, Fall type	.15	.35	105
Boston Marrow, similar to Hubbard, vine, Fall type	.15	.35	100
Delicious, vine, Fall type	.15	.35	100
Early Yellow Bush Scallop, Summer type	.15	.35	58
Early White Bush Scallop, Summer type	.15	.35	56
Golden Hubbard, vine, Fall type	.15	.35	100
Green Cocozelle, bush, Summer type	.15	.35	63
Italian Marrow, vine, Fall type	.15	.35	97
Straight Neck, bush, Summer type	.15	.35	50
Summer Crook-Neck, bush, Summer type	.15	.35	52
Sweet Potato, vine, Fall type	.15	.35	100
Warty Hubbard, vine, Fall type	.15	.35	110
Zucchini, bush, Summer type	.15	.35	62

SWISS CHARD, SILVER OR SEA KALE.

	Oz.	1/4 lb.	Lb.	Days
Grown exclusively for its leaves, which can be used and				
served like Spinach. Cultivation same as Beets	.25	.75	2.00	50

TOBACCO

Sow the seed in plant bed in March. Transplant when five or six leaves appear. Set in rows 3½ feet apart, 18 to 20 inches apart in the row, according to variety. When the bud appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growing from the stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the stock in a shed to dry.

Connecticut Seed Leaf Well Known Variety.	.50
White Burley	.50
Havana	.50

TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position. One oz. to 2,500 plants; 2 ozs. to the acre.

Bonny Best, A good forcing variety Very early; vigorous and productive; color scarlet.		1.50	
Break O'Day, orange-red round fruit	.50	1.50	70
Crimson Cushion (Beefsteak or Enormous) The largest of the bright red tomatoes; really a Red Ponderosa.	.50	1.50	90

TOMATO—Continued

	0-	1/ 11	Dave
Dwarf Champion	Oz.	½ lb.	Days 86
Dwarf Champion Very early; dark purplish red.	.50	1.5 0	80
Early Detroit	.50	1.50	80
Purplish pink; smooth; semi-globular.		_,,,	
Golden Ponderosa	.50	1.50	89
Largest of the yellow tomatoes and similar to Ponderosa except in color of fruit.			
Golden Queen	.50	1.50	84
Yellow; ripens early: is large size, smooth and solid.			
Greater Baltimore, Indiana Strain	.50	1.50	7 9
Large as Stone; deep red, very solid and productive.	~^	4 20	M 0
John Baer	.50	1.50	70
A very early, large red variety of fine quality.	F 0	1 50	CO
June Pink, earliest pink	.50	1.50	69
Marglobe Certified, deep red, round, smooth	.50	1.50	77
Oxheart, heart-shape, rough, pink	.50	1.50	90
Ponderosa	.50	1.50	88
The largest tomato grown; rich crimson; solid flesh.			
Pritchard or Red Topper, round, light scarlet	.50	1.50	76
Prolific	1.00	3.00	86
Early red variety of fine quality.			
Red Pear	.50	1.50	7 3
Rutger, bright red, round, smooth	.50	1.50	86
Spark's Earliana	.50	1.50	66
Very early; bright red, smooth and of good size and excellent flavor.			
The Stone	.50	1.50	92
Very large and smooth; ripens evenly bright scarlet.			
Yellow Pear	.50	1.50	73

TURNIP.

For early, sow as soon as the ground can be prepared, in drills 15 inches apart, and thin the plants to stand 8 inches apart. Sow for succession at intervals of two weeks until the last week in July, and from that time onward until the last of August sow for main crop. The sowings should always be made just before a rain, if possible, as the success of the crop depends, in a great measure, upon quick germination and rapid growth of the young plants. One oz. to 300 feet of drill; 1 pound to the acre.

	Uz.	¼ 1b.	Lb.	Days
American Purple Top Ruta Baga, round	.10	.35	1.00	90
Extra Early White Milan, flat	.10	.35	1.00	42
Early Purple Top Milan, flat	.10	.35	1.00	42
Red, or Purple Top Strap Leaf, flat	.10	.35	1.00	46
Red Top White Globe, round	.10	.35	1.00	57
Seven Top, grown for greens	.10	.35	1.00	

WATERMELON.

Secure good strong vines early in the season by making the hills large, mellow and well drained, with the manure placed so that they will not dry out quickly under hot suns. All possible protection from insects should be given the young plants, and as protection from insects, use dry ashes or coal dust sprinkled over the leaves. Plant the seeds thickly, and thin the plants to four of the strongest in each hill.

One oz. to 50 feet of drill; 1 to 2 pounds to the acre.

Oz.	½ lb.	Lb.	Days
	.25	.75	90
.10	.25	.75	90
	.25	.75	85
	.25	.75	80
	.25	.75	82
			85
	.25	.75	95
	.25	.75	85
.10	.25	.75	80
.10	.25	.75	85
.10	.25	.75	90
	.10 .10 .10 .10 .10 .10 .10	.10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25 .10 .25	.10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75 .10 .25 .75

HERBS.

Caraway—Seeds used for flavoring
Celery Seasoning—Used for seasoning
Chervil—Used for flavoring Soups
Chicory—Large rooted—The dried leaves are roasted and mixed with Coffee or
used as a substitute
Coriander—Seeds used for flavoring
Dill—Used for flavoring Pickles
Lavender—Leaves very fragrant
Rosemary—Leaves very fragrant
Sage—A highly aromatic Herb, most useful of all
Savory, Summer—Used as a seasoning
Savory, Winter—Used as a seasoning
Sorrel-Large leaved, French-Used as a Salad or cooked as Greens.
Sweet Basil—Leaves used for flavoring
Sweet Marjoram—Used as a seasoning
Thyme—Used as a seasoning
Bermuda Onion Plants
Onion Sets
Rhubarb Roots Prices on application.
Asparagus Roots

PLANTS.

In Season


VEGETABLES

Tomato Pepper
Cabbage Sweet Potato
Cauliflower Egg Plant


FLOWER

Aster Pansy
Salvia Gaillardia
Snapdragon Stock
Zinnia Shasta Daisy
Petunia Canterberry Bells
Verbena Hardy Phlox

ASK FOR PRICES









ZINNIA

FLOWER SEED AND SUPPLIES

	I
Ageratum, Blue, Dwarf	
Ageratum, White, Dwarf	
Ageratum, Midget Blue	
Alyssum, White	
Alyssum, Yellow	
Alyssum, Dwarf, Violet Queen	
Antirrhynum	
Varieties, Red .20 pkg. Pink .20 pkg. Yellow .20 pkg. Purple .20 pkg.	
Bronze .20 pkg.	
Antirrhynum, Mixed	
Aster, Crego, Crimson	
Aster, Crego, Peach Blossom	-
Aster, Crego, Purple	•
Aster, Crego, Deep Rose	
Aster, Crego, White	-
Aster, Crego, Mixed	-
Aster, Wilt Resistant, Mixed	
Balsam (Lady Slipper)	
Balsam, Bush, Mixed	
Calendula, Yellow	-
Calliopsis, Yellow	
Candytuft, Mixed and White	
Canterbury Bells, Blue, Double Medium	
Canterbury Bells, Cup and Saucer, Mixed	
Carnation, Hardy, Mixed	
Carnation, Marguerite	-
Celosia, Cristata	-
Centaurea (Bachelor Button) Blue, Double	
Centaurea (Bachelor Button) Mixed	
Centaurea, Jubilee Gem, Blue	
Centaurea, Sweet Sultan	•
Cleoma	
Columbine, Aquilegia, Mixed	
Coreopsis, New Gold, Double	
Cosmos, Double Crested, Mixed	
Cosmos, Extra Early Single, Mixed	-
Cosmos, Klondyke (Orange)	









MIXED LARKSPUR

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Chinese Woolflower, Scarlet	05
Chrysanthemum, Double, Mixed	05
Daisy, Pyrethrum Roseum	15
Daisy, Shasta (White)	10
Dahlia, Double, Mixed	10
Dahlia, Single, Mixed	10
Delphinium, Mixed	15
Didiscus, Blue Lace Flower	05
Forget-Me-Not, Alpestris Blue	10
Forget-Me-Not, Chinese	05
Euphorbia (Snow on the Mountain)	05
Fox Glove (Digitalis) Mixed	10
Gaillardia (Blanket Flower) Mixed	05
Geranium, Double, Mixed	15
Gomphrena (Globe Amaranth) Mixed	
Gypsophila, Pink, Annual	05
Gypsophila, White, Perennial and Annual	510
Heliotrope, Mixed	05
Hibiscus, Mixed and Red	10
Hollyhock, Double, Mixed	
Hunnemannia Fumarifolia, Mexican Tulip Poppy	05
Lantana, Mixed	
Larkspur, Double, Mixed	05
Lobelia	15
Lunaria (Honesty, St. Peter's Penny, Money Plant)	
Lupin, Mixed	05
Marigold, African Yellow Supreme	05
Marigold, French Double, Mixed	05
Marigold, Sunset Giant	
Marigold, French Dwarf, Harmony Hybrids	05
Matricaria (Feverfew)	05
Mexican Fire Bush (Kochia)	05
Mignonette, Green and White	05
Nasturtium, Dwarf, Mixed, Single	
Nasturtium, Dwarf, Double, Mixed	.15



SCARLET O'HARA MORNING GLORY



ZINNIA FANTASY WILDFIRE

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Nasturtium, Tall, Mixed	
Nicotiana (Flowering Tobacco) Mixed, Purple and White	.05
Nierbergia Hippomanica (Dwarf Cup Flower)	.20
Pansy, Giant Trimardeau, Mixed	
Pentstemon, Beard Tongue	
Petunia, Balcony, Rose Pink, White and Blue	.10
Petunia, Dwarf Rose Bedder	
Petunia, Fringed, Mixed	
Petunia, Heavenly Blue	
Petunia, Howard Star, Purple with White Throat	
Petunia, Hybrid Exquisite, Mixed	
Petunia, Rose of Heaven, Pink	
Petunia, Rosy Morn, Pink	
Petunia, Violet King	
Phlox, Drummondi, Mixed	
Pinks, Chinese Double, Mixed (Dianthis)	.05
Pinks, Chinese Single, Mixed (Dianthis)	
Poppy, American Legion	
Poppy, California Yellow	
Poppy, Oriental, Pink	.15
Poppy, Oriental, Scarlet	
Poppy, Oriental, White	
Poppy, Oriental, Mixed	
Poppy, Shirley, Mixed	
Poppy, Double, Mixed	
Portulaca (Flowering Moss) Double, Mixed	
Portulaca (Flowering Moss) Single, Mixed	- L
Salpiglossis, Mixed	
Salvia Splendens (Flowering Sage) Red	
Salvia, Indigo Blue	
Scabiosa, Imperial Giants Blue Moon	
Scabiosa (Mourning Bride) Mixed	
Stock, Mixed	
Strawflower (Helichrysum) Mixed	

FLOWER SEED AND SUPPLIES—Continued

Sweet William, Double Hardy, Mixed	10
Verbena, Mixed	
Vinca (Madagascar Periwinkle)	
Viola Odorata, Mixed	
Wallflower, Mixed	
Wild Flower Garden	
Zinnia, Dahlia Flowered, Mixed	
Zinnia, Dahlia Flowered, White, Pink, Lavender, Red, Rose, Yellow, Purple	
Zinnia, Fantasy, Mixed	
Zinnia, Fantasy, Red and White	
Zinnia, Lilliput, Mixed	
Zinnia, Lilliput, Red Riding Hood	
Zinnia, Mammoth, Mixed (California Giant)	
Zinnia, Star Dust, Yellow Fantasy	
· · · · · · · · · · · · · · · · · · ·	
	•
VINES.	
	Pkg.
Balsam Apple, Red Fruit	
Cardinal Climber	10
Castor Bean or Ricinus Maderia	05
Coboea Scandens	05
Cypress, Mixed	
Four O'Clocks, Mixed	05
Gourd, Dipper	05
Gourd, Ornamental, Mixed	05
Hop Vine	
Hyacinth Bean, Mixed	,05
Job's Tears, White	05
Kudzu	
Moon Flower, White and Blue	
Morning Glory, Heavenly Blue	
Morning Glory, Mixed	
Morning Glory, Pearly Gates, White	
Morning Glory, Scarlett O'Hara	
Passion Vine	
Scarlet Runner	
Sweet Peas, Spencer, Blue	
Sweet Peas, Spencer, Purple	10
Sweet Peas, Spencer, Rose	10
Sweet Peas, Spencer, Scarlet	10
Sweet Peas, Spencer, White	10
Sweet Peas, Spencer, Yellow	10
Sweet Peas, Spencer, Mixed	15
Sweet Peas, Spencer, Hardy Mixed (Pink and White)	10
Thumbergia (Black Eyed Susan)	
Wild Cucumber	05

SPRING LILIES AND BULBS

LILIES

Amaryllis

Calla

Ismene

Philippinese

Tenuifolium

BULBS AND VINES

Cannas, all colors

Gladiolus, all colors

Dahlias, all colors

Cinnamon Vine

Tuberose, double and single

Caladium (Elephant Ear) Green

Caladium (Elephant Ear) Colored

Maderia Vine

FALL LILIES AND BULBS

Tulips

Narcissus

Grape Hyacinths

Madonna Lilies

Ask for prices

El	LOWE	R POTS.
2 for	.05	8 inch size
	*	9 inch size
		10 inch size
		12 inch size
		Cemetery Vases
PAPE	R FLC	OWER POTS.
ask for p	rices	4 inch sizeask for prices
$\mathbf{H}A$	NGIN	IG POTS.
	.30	12 inch size
	.55	Ask for Quantity Prices On All
FOR I	POTTE	ED PLANTS.
.25	Box	Plant and Tree Labels100 .25 1000 \$1.60
		Vitamin B1, Nu Vim,
	Box	Tablet Form25 and .50 Box
		MOSS.
		½ Bale\$2.50 Bale\$4.00
I AND LAV	WN SI	EEDS AND SUPPLIES.
	COW	PEAS.
	Mi	xed New Era
F	ARM	GRAIN.
		ange—Please ask for prices
20-30 th per	acre	Millet Seed, German50 lb per acre
-		Millet Seed, Hungarian50 lb per acre
-		Milo Maize20-30 fb per acre
_		Rye Grass25-35 fb per acre
20-30 fb per	acre	Seed Rye60-90 th per acre
20-30 fb per	acre	Sudan Grass25-35 lb per acre
F	ARM	SEEDS.
subject to ma	rket ch	ange—Please ask for prices
	PAPE: ask for p HA FOR I .25 .10 .10 and .25 I .15 .30 .60 I AND LAV F subject to ma .20-30 fb per .5-6 fb per .5-6 fb per .20-30 fb per	

Alfalfa, Common15 tb-20 tb per acre	Meadow Fescue14 to per acre
Alfalfa, Grimm15 lb-20 lb per acre	Orchard Grass Seed14 lb per acre
Alsike Clover Seed6 lb-8 lb per acre	Rape Seed, Dwarf Essex
Blue Grass	Red Clover Seed
	10 lb-15 lb per acre

LAWN GRASS SEEDS.

Bent Grass					1	l th	21.00	10 th	90.00
Blue Grass1	Ϊħ	.45	10 lb	$.42\frac{1}{2}$	50	tb-100	tb	\$40.00 r	er 100
Chewings Fescue								1 th	\$1.00
Mixed Lawn Seed1 Red Top1	Ϊb	.40	10 lb	$.37\frac{1}{2}$	50	tb-100	Ϊħ	\$35.00 p	er 100
Red Top	lb	.30	10 lb	$.27\frac{1}{2}$	50	lb-100	lb.	\$25.00 p	er 100
Shade Mixture1	Ϊħ	.50	10 lb	$.47\frac{1}{2}$	50	lb-100	Ιħ	\$45.00 p	er 100
White Dutch Clover								1 lb	\$1.00

SEED CORN.

Certified Hybrid Seed Corn

Large flat kernel, per bushel

Johnson County White, 110 days Red Cob White, 90 days Reid's Yellow Utility, 100 days

SOY BEANS.

Black Ebony Illini Manchu Virginia

Edible Kingwa

COMMERCIAL FERTILIZERS.

Ask for Prices—Prices Subject to Change Subject to Government Regulations.

Adco 25 lb	0-12-12 125	Ϊb
Bone Meal (2-24) 125 tb	0-14- 7 125	Ϊb
0-10-10 125 fb	0-20-10 125	Ϊb
0-10-20 125 fb	0-20-20 125	Ϊħ
	2-12- 6 125	t b

FERTILIZERS.

Ask for Prices—Prices Subject to Change Subject to Government Regulations.

Aluminum Sulphate	Murate of Potash	
Blood and Bone	Nitrate of Soda	
Calomel	Sacco (4-12-4)	
Corrosive Sublimate	Sheep Manure	
Driconure	Sulphate of Ammonia	
Dried Blood	20% Super Phosphate	
Loma (5-10-4)	Tankage	
Manganese Sulphate	Vigoro (4-12-4)	
Milorganite	Wedo	
GRAIN I	BAGS.	
New Grain Bags, 16 oz.		.40
Used Grain Bags, 16 oz.		.25
INOCULA	TIONS.	
McQueen's, for Alfalfa, Sweet Clover, Red and McQueen's, for Lespedeza, Cow Peas, and Soy Nitrogen, for Alfalfa and all Clovers	Beans	1.00 1.00 1.00

1.60 3.0 .50 1.0 .1.60 3.0
.50 1.0 1.60 3.0
.50 1.0 1.60 3.0
1.60 3.0
1.0
3.0
nt can .3
it can .40
9

ottle .50
60
bottle .3
box \$1.10
box \$1.10 ags \$3.00
box \$1.10

Ceresan, Grain Disinfectant ______1 lb. can ..75

Copperace ______1 lb.

1 gal. bottle \$1.25

1 qt. bottle .50

SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

Cyanogas, for fumigating Elevators, Warehouses, Gree 5 lb. can \$3.00	enhouses, and Mills ½ lb. can .45
Cyanogas Ant Killer	4 oz. can .35
Dandelion Killer	½ gal. can and distributor \$2.75
Dauntless Fly Spray	
Dolge Weed Killer	
Dry Lime Sulphur, for dormant spray	
Dusting Sulphur	
Dutox	
Eureka, Crab Grass Killer	·
Ever Green Spray, good for Aphis and Red Spider 4 oz. bottle \$1.05 1 qt. can \$3.50	
E-Z-Bos, Stainless Stock Spray	
Fish Oil Soap	
Flit Fly Spray	
Fruitone	
Fungi-Bordo, for fungus diseases and Anthracnose	
Hammond's Slug Shot, good for dusting purposes	·
Hammond's Weed Killer	
Hormodin, stimulates rapid root growth on cuttings.	•
Lime, Agricultural	
Litening, Dandelion and Weed Killer	
Magnesium Arsenate	
Mulsoid-Sulphur	
"Nico-Fume", used extensively in greenhouses 4 lb. can \$5.50 8 lb. can \$10.00	
"Nico-Fume" 1 lb. Pressure Fumigator for greenhou	
Nursery Volck, for Red Spider and other insects1	
Old Nick Seed Corn Treatment	
ο 10. μας ψ1.00 20 10. μας ψ0.20	
Paris Green	·
Pestroy	
Red Arrow Garden Spray, good for Aphis and Red S 4 oz. bottle \$1.05 1 qt. can \$3.50	
Rotenone Dust, fine for bean beetle	8.50 100 lb. hags \$16.00
Rotenone Dust with Sulphur	1 lb. bags .30 2 lb. bags .55
4 lb. bags \$1.00 25 lb. bags \$4.50 50 lb. bags \$	9.00 100 lb. bags \$17.00
Semesan-Bel, Potato Disinfectant	
Semesan Jr., Corn Disinfectant	
Semesan, Seed Disinfectant	2 oz. can .50 1 lb. can \$2.00
Scalecide, for dormant spray, dilute in water at the race 25 gallon of water1 gal. can \$1.75 5 gal.	can \$6.50 30 gal. drum \$22.00
Selocide, good for Red Spider	1 oz35 1 gal. can \$3.00
Spra-Mulsion, for dormant spray, mix at the rate of	
Sulfocide, a summer spray oil, mix at the rate of 1 ga	
Sulphur Dust	
Tree Tanglefoot 6 oz. can	
Tobacco Dust	
Tri-Ogen, Rose Spray	Duxes at \$1.50, \$4.00 and \$0.00
Zotox Weed Killer	\$1.00

PET AND POULTRY REMEDIES AND SUPPLIES

BIRD SEED AND SUPPLIES.

	1 lb
Canary Seed	
Cedar Nuts	
Cuttle Bone	
Flax Seed	
Millet Seed, Red and White	
Mixed Bird Seed	
Rape Seed	
Steel Cut Oats	
Sunflower Seed	
	Pkt.
Bird Balm (For Bald Spots)	.10
Bird Joy	
Bird Shipping Cages	
Canary Cage Baths	.25
Canary Cage Bird Swings	.1 0
Canary Cage Cups	
Canary Cage Perches	
Canary Cage Wire Bird Nests	.15
Canary Leg Bands	
Kaempfer's Big Kernel Bird Asthma Tablets	.25
Kaempfer's Big Kernel Birdolene (Song Restorer)	.15
Mrs. Halfin's Bird Nesting with Eggs	.15 and .25
Mrs. Halfin's Bird Rejuvenator (Song Restorer)	.15
Mrs. Halfin's Bird Tonic	
Mrs. Halfin's Bird Wash	.25
Mrs. Halfin's Cedar Bird Perches	.05
Mrs. Halfin's Color Food (Red and Yellow)	.15
Mrs. Halfin's Germicidal and Prophylactic	.25
Mrs. Halfiin's Gravel Paper	.05
Mrs. Halfin's Lice and Mite Powder	
Mrs. Halfin's Moulting Food	
Mrs. Halfin's Natural Fish Food	
Mrs. Halfin's Parokeet Mixture	.20 and .30
Mrs. Halfin's Parrot Tonic	
Mrs. Halfin's 20 in 1 Pine Oil	
Mixed Parrot Seed, 2 lbs.	.50
Philadelphia Merican Salve	
Philadelphia Bird Bitters	
Philadelphia Bird Gravel (Red and Silver)	
Philadelphia Mite Powder	
Spratt's Bird Tonic	.15
Spratt's Cod Liver Oil Cage and Nestling Food	
Spratt's Mite Traps	.25
Spratt's Song Restorer	
West's Magnesian Grit	.1.
West's Special Mating Food	

DOG REMEDIES AND SUPPLIES

					Box
Bee Brand Shampoo					
Catnip Mice (For Cats)					
Disinfectant for Kennels	.20,	.35,	and	1.50	$\mathbf{Bottles}$
					n Cans
Dog Feeding Bowls, Double					
Dogzix					
"Dogzoff"					
Flea Combs (For Dogs and Cats)					
Fleischmann's Yeast for Dogs					
Miller's Dog Soap					
Milray Liquid Flea Soap					
Mrs. Halfin's Dog Soap					
Pulvex Flea Powder					
Pulvex Flea Soap					
Pulvex Sponge-Away (For Summer Eczema)					
Sergeant's Canker Wash					
Sergeant's Carbolic Tar Soap					
Sergeant's Cod Liver Oil Capsules					
Sergeant's Compound Arsenic and Iron Pills					
Sergeant's Compound Pepsin Tablets					
Sergeant's Condition Pills					
Sergeant's Disinfectant					
Sergeant's Diuretic Pills					
Sergeant's Expectorant Medicine					
Sergeant's Eye Wash					
Sergeant's Intestinal Astringent					
Sergeant's Laxative Capsules					
Sergeant's Liniment					
Sergeant's Mange Medicine					
Sergeant's Mouth Wash					
Sergeant's Nerve Sedative Medicine					
Sergeant's Puppy Capsules					
Sergeant's Skip-Flea Powder, 2 oz.					
Sergeant's Skip-Flea Soap					
Sergeant's Special Medicine					
Sergeant's Sure Shot Capsules					
Sergeant's Sure Shot Liquid					
Sergeant's Tapeworm Medicine					
Sergeant's Vitapets, Vitamin A, B, G, D					
Spratt's Flea Soap					
Spratt's Worm Capsules for Cats					
Spratt's Worm Tablets for Dogs					10

.25

.40

DOG FOOD.

Mrs. Halfin's Itsy Bitsy (Candy Substitute)pkt. .10 and

Spratt's Assorted Dog Biscuit pkt.

Spratt's Cat Food				nkt	40
Spratt's Ovals, with Charcoal					
Spratt's Ovals, without Charcoal				_ ~)
				25 lb.	100 lb.
Chappel's Ken-L-Worth				2.75	10.00
Gaines Krunchon				2.75	10.00
Gaines Milk and Meat Meal				2.00	7.75
Miller's A-1 Meal				2.00	7.75
Miller's Kibbles				2.75	10.00
Spratt's Assorted Dog Biscuit					
Sprace's Assorted Dog Discuit			.	111 1 10	10
GOLD FISH AND SUPPLIES	_				
Common, Fan Tail, Black Moor, and Chebunkin Fish fi		15c :	to 25c	each	
Common, ran ran, black moor, and chesuman rish is	Om	100	200	cacii.	Pkt.
Aquarium Cement	•••••				
Aquarium Ornaments and Shells					15
Bishop's Wafer Fish Food					.10
Fish Nets			• • • • • • • • • • • • • • • • • • • •	Each	.50
Fungus Remedy and Fish Tonic					25
Medicated Health Fishball					10
Mrs. Halfin's Fish Flakes					
Mrs. Halfin's Shrimp Fish Food		•••••			.10
Mrs. Halfin's Tropical Fish Food					10
Mrs. Halfin's Turtle Food					
Spratt's Granulated Fish Food					
POULTRY REMEDIES AND SUPP	LII	ES.			
Bag Balm					.60
Bag Balm Dilators					.60
Black Leaf Worm Powder				.50	1.00
Burrell-Dugger Don Sung				.50	1.00
Carbola (Disinfectant Paint for Poultry Houses)					1.00
Carbolineum (Wood Preserving Disinfectant)					7.00
Cod Liver Oil, for mixing with poultry feeds				.75	2.50
Dairy Association Co. Kow-Kare				.65	
Dr. Hess Chick Tablets (Diarrhea)					1.25
Dr. Hess Coxitrol				.50	1.00
Dr. Hess Dip and Disinfectant				3.50	6.50
Dr. Hess Drycide					1.50
Dr. Hess Fly Spray				3.15	7.50
					1.50
Dr. Hess Liquid Louse Killer	.50	.85	1.50	3.75	10.50
Dr. Hess Liquid Louse Killer					2.60
Dr. Hess Medicated (Healing) Powder					.50
Dr. Hess Nicozine Powder					5.40
Dr. Hess Nicozine Tablets				2.00	6.50
Dr. Hess Pelguns, for PTZ Pellets					.60
Dr. Hess Poultry Pan-A-Min.	.30	.85	1.50	3.75	10.50

POULTRY REMEDIES AND SUPPLIES—Continued.

Dr. Hess Poultry Tablets (Roup)			.2.	5 .50	1.00
Dr. Hess PTZ Pellets					
Dr. Hess PTZ Powder	*******			75	1.6 0
Dr. Hess Powdered Louse Killer			30	0 .65	1.25
Dr. Hess Stock Tonic	.30	.85	1.50	3.75	10.50
Dr. Hess Udder Ointment					55
Germo Cholerine Liquid				65	1.00
Lee's Dri-Rub					45
Lee's Germozone	.40	.75	1.50	2.50	4.50
Lee's Gizzard Capsules, Adult				75	1.25
Lee's Gizzard Capsules, Chick				40	.75
Lee's Gizzard Capsules, Pullet				50	1.00
Lee's Hog Oil Wormer				2.00	3.50
Lee's Lice Killer			60	.90	1.50
Lee's Louse Powder, 1 lb. can					25
Lee's Pickpaste, for cannabalism					25
Lee's Poultry Dosing Syringe, 1 oz. capacity					25
Lee's Poultry Nasal Syringe, for Head Colds					75
Lee's Tonax, tonic					30
Lee's Vapo-Spray		.75	1.25	2.00	8.75
Poultry Leg Bands, Aluminum, 12 bands					.10
Poultry Leg Bands, Aluminum, 50 bands					50
Poultry Leg Bands, Aluminum, 100 bands					75
Poultry Leg Bands, Celluloid, 12 bands					10
Poultry Leg Bands, Celluloid, 50 bands		• • • • • • • • • • • • • • • • • • • •			30
Poultry Leg Bands, Celluloid, 100 bands					
Pratts Animal Regulator	.25	.50	1.00	2.85	9.50
Pratts Bag Ointment					60
Pratts C-Ka-Gene					
Pratts Chick Tablets			30	.60	1.25
Pratts Cow Tonic				50	1.00
Pratts Disinfectant for Dipping and Spraying					
Poultry and Stock					1.45
Pratts Hog Powder					9.50
Pratts Pheno-Thi-Azine				1.00	1.50
Pratts Poultry Inhalant					1.00
Pratts Poultry Regulator					9.50
Pratts Poultry Worm Powder			75	2.50	4.50
Pratts Powdered Lice Killer					.60
Pratts Roost Paint (Kills Poultry Lice)					2.50
Pratts R-P Tablets (Formerly Roup Tablets)					.50
Pratts "Split-Action" Worm Capsules, Adult		.85	1.50	5.50	10.00
Pratts "Split-Action" Worm Capsules,					
Chick and Small Pullet					6.50
Pratts Zene-A-trol					1.50
Sodium Fluoride					.30

MISCELLANEOUS.

			0.5
Ant-X			
Antrol, Ant Killer			
Crab Grass Rakes			1.50
El Vampiro			
Force's Mole Killer			.25
Figaro, Condensed Wood Smoke			
Grafting Wax—½ lb.			.35
Hot Caps	\$1	l.50 pei	100
Jim Dandy Rat and Mice Killer			.15
K. R. O. Kills Rats Only (Not a poison)			.75
Mole-Nots			
Mouse-Nots			.25
Mologen, Mole Poison			.50
Nomole, Poison to kill moles, ground squirrels, and small rodents		1.10	2.00
Pastoxine. A non-poisonous exterminator of rats and mice			.60
Poison Wheat. Death to rats and mice			.15
Polar Naptholene Moth Flakes		•••••	.15
Rabbit Salt			
Raffia, Natural, for tying plants, 1 lb.			
Rat-Nots			.35
Rex Fly Ribbons			.10
Roach-Nots			
Rootone, for cuttings			
Rubber Bands. Sizes 12, 14, 16			
Skeet-Check			
South American Ant Poison			
Tanglefoot Fly Paper			
Trans Plantone			

Vegetable Plants, all varieties.

Cabbage

Mango or Pepper

Sweet Potato

Tomato

Flower Plants, all varieties.

Aster Petunia
Canterberry Bells Salvia
Chrysanthemum, Hardy Shasta Daisy
Gaillardia Snapdragon
Hardy Phlox Stock
Pansy Verbena

Verbena Zinnia

ALL PRICES QUOTED IN THIS CATALOG ARE OPA CEILING PRICES OR UNDER.

QUINLAN SEED STORE

317 Wabash Avenue Terre Haute, Indiana

_										
Name	· · · · · · ·					*********	********			
Post	Office .			•••••	County					
					Co. of Express Office Sta					
					Draft \$					
					e the list of seed, etc., forwarded by					
					State here if wanted by mail, expres					
Bus.	Pecks	Lbs.	Oz.	Pkts.	NAMES OF ARTICLES WANTED	Dols.	Cts.			
	-									
					·					
	-									
			}							
4										
٠										

ETACH HER

QUINLAN SEED STORE

317 Wabash Avenue Terre Haute, Indiana

Name			***********	**======			
Post (Office				County		
					Co. of Express Office Sta		
					Draft \$Cash \$Stam		
					e the list of seed, etc., forwarded by		
					State here if wanted by mail, expres		
Bus.	Pecks	Lbs.	Oz.	Pkts.	NAMES OF ARTICLES WANTED	Dols.	Cts.
-							
			(.				
1		-					
			-		Y		
					·		
-							

